

## **HAZM 300**

## **CARBON-OFF**

## PRODUCT DATA SHEET

PRODUCT DESCRIPTION

Solvent based degreaser and carbon stripper.

TYPICAL PHYSICAL PROPERTIES

Proprietary blend of heavy duty solvent, sequestering agent, and surfactant, combined with a rust inhibiting additive.

**APPEARANCE:** Amber-color liquid.

**SPECIFIC GRAVITY:** 1.05 @ 25oC.

**pH:** 5.0, as supplied

**ODOUR:** Characteristic

PRODUCT APPLICATION DETAILS

For industrial degreasing and chemical stripping of ingrained carbon deposits & gums from ferrous substrates.

Can be used in ambient or hot dip tank applications (typical hot tank operating temperature is 60 °C).

Biodegradable, non flammable, non-acidic, rapid action.

Use **HAZM 300** as supplied. Immerse the heavily carbonized substrate in the solution and soak it for at least 4 hours.

Once the carbon deposits have softened, remove the substrate from the tank and rinse off with water via a pressure washer.

PRODUCT PACKAGING DETAILS

20 and 200 Liters

PRODUCT HANDLING DETAILS

## KEEP IN CLOSED CONTAINERS ABOVE 5 °C.

Protective clothing, gloves & goggles are recommended when handling the material. In the event of accidental contact with skin, wash affected area with copious amount of water and seek medical advice.